



March 31, 2003

TO:

FAX NO. (703) 872-9301 Attention: Thorl Chea

Box PCT

Commissioner of Patents and Trademarks

Washington, D.C. 20231

FROM:

FAX NO. 716-477-1148 Mr. Chris P. Konkol Patent Legal Staff

EASTMAN KODAK COMPANY

343 State Street

Rochester, New York 14650-2201

RE: Attorney Docket No. 81247A/CPK

Amendment in response to the Office Action

mailed December 30, 2002.

Dear Examiner Chea:

Please disregard earlier fax today of amendment for Docket 81247A. Thre was an error on the 1st page of the amendment relative to the Serial Number and filing date.

This fax includes the correction.

Thank you and please accept our apologies for any inconvenience.

Kindest regards,

Chris P. Konkol Patent Legal Staff Eastman Kodak Company

CPK:jec

RECEIVED

IEUL. 555/9N 3 2000 Group 3700 PECEIVED TC 1700 KODAK PATENT FACSIMILE TRANSMISSION Total Pages Including Cover - 10

June 3, 2003

FAX NO. 28 1 703-872-9301 ATTENTION: Thorl Chea

Box PCT

Commissioner of Patents and Trademarks

Box 1450

Alexandria, VA. 22313-1450

From:

FAX NO. 716-477-1148 Chris P. Konkol Patent Legal Staff

Eastman Kodak Company Telephone No. 716-722-0452

Per your request, I am faxing you a signed copy of this Amendment which was originally fax'd to you on March 31, 2003 without signature in error.

Thank you and please accept our apologies for any inconvert

Chris P. Konkol Patent Legal Staff

Eastruan Kodak Company

1 P/Loll

CPK:jec



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Richard P. Szajewski, et al

A SILVER-HALIDE-CONTAINING A COLOR PHOTOGRAPHIC OR PHOTOTHERMOGRAPHIC ELEMENT FOR IMPROVED SCANNING

Serial No. 10/091,868

Filed 06 March 2002

Commissioner for Patents Washington, D.C. 20231

Group Art Unit: 1752

Examiner: Thorl Chea

I hereby cortify that this correspondence was sent by faceimile transmission to the United States Fature and Trademark Office on the date set forth

much 31, 2003

Transmitted herewith is an amendment in the above-identified application:

No additional fee is required. The fee has been calculated as shown below: OTHER THAN A SMALL (Col. 1) (Col. 2) (Col. 3) ENTITY CLAIMS REMAINING HIGHEST NO. **AFTER PREVIOUSLY** PRESENT ADDITIONAL MENDMENT PAID FOR **EXTRA** RATE TOTAL **MINUS** 20 0 X 18 \$ 0 INDEP MINUS 0 X 84 \$0 FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM + 280 \$ 0 TOTAL \$ 0

* The "Highest Number Previously Paid For" (Total or Independent) is the highest number found from the equivalent box in Col. 1 of a prior amendment or the number of claims originally filed.

Please charge my Eastman Kodak Company Deposit Account No. <u>05-0225</u> in the amount of \$0.

A duplicate copy of this sheet is enclosed

X The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Eastman Kodak Company Deposit Account No. 05-0225

A duplicate copy of this sheet is enclosed

X Any additional filing fees required under 37 CFR 1.16.

X Any patent application processing fees under 37 CFR 1.17.

(For Extensions of Time and other Petitions to the Assistant Commissioner)

Chris P. Konkol/jec Telephone: (585) 722-0452 Facsimile: (585) 477-1148

Attorney for Applicants Registration No. 30,721

G:\Pal\Cpk\DOCKETS\81247\A\usamtran.doc

81247ACPK Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Richard P. Szajewski

A SILVER-HALIDE-CONTAINING PHOTOTHERMOGRAPHIC ELEMENT FOR IMPROVED SCANNING

Serial No. 10/091,868

Filed 6 March 2002

Commissioner for Patents Washington, D.C. 20231

Sir:

Group Art Unit: 1752

Examiner: Thorl Chea

s nearby earthy that this correspondence was sent by facabulle transmission to the United Status Patent and Pradastack Office on the dute set facts below.

March 31, 2013

Date

RECEIVED

APRO ROOF

MAR 3 1 2005

Group 3700

AMENDMENT

In response to the Office Action mailed December 30, 2002, please amend the above-identified application without prejudice as follows.

In the Claims:

Please cancel claims 6 to 20.

Please amend claims 1 and 5 as set forth below:

a scene as an image comprising a support and coated on the support a plurality of hydrophilic colloid layers comprising radiation sensitive silver-halide emulsion layers forming recording layer units for separately recording blue, green, and red exposures wherein the imaging layers comprise a blocked developer, a light sensitive silver halide emulsion, and a non-light sensitive silver salt oxidizing agent, wherein the fraction of silver as silver halide relative to total silver is from 30 to 85% by weight, and wherein the amount of silver halide in the element is 1 to 4.0 g/m², and wherein the photothermographic element is a film design d for scanning with film scanners such that a D_{min} density of no more than 2.0, a D_{max}